



Shyama Prasad Mukherji College University of Delhi

Quotation

For

Rain Water Harvesting Tank

SHYAMA PRASAD MUKHERJI COLLEGE
University of Delhi
Punjabi Bagh (West), New Delhi – 110026
Ph : 25224499, website : <http://spm.du.ac.in>

Ref No. : SPMC/2021/Quotation/ **1116A**


Date : 08.02.2021

NOTICE INVITING QUOTATION

Sealed item rate quotations are hereby invited from the contractors enlisted with C.P.W.D., MES, Railway and working contractors of Delhi University for the following work, so as to reach the office of the undersigned upto 3:00 p.m. on 02.03.2021


1. Description of work : Rain Water Harvesting Tank
2. Site of work : New Academic Block
3. Scope of work : Construction Work
4. Owner Address : Shyama Prasad Mukherji College
Punjabi Bagh (West), Delhi - 110026
5. Details of Quotation
 - a. Estimated cost of work : Rs. 1,34,756/-
 - b. Time of Completion : 30 Days
 - c. Date of start of quotation : 08-02-2021
 - d. Last date and time of submission : 02-03-2021 upto 3:00 p.m.
of quotation

The documents can be seen and obtained from the college website <http://spm.du.ac.in> on or before 02.03.2021. The Contractor / Representatives of the firms may visit the site between 10:00 a.m. to 4:00 p.m. on all working days of the college.


Principal (Officiating)
Shyama Prasad Mukherji College

Terms and Conditions:-

1. The Contractor shall quote rates with GST, No extra GST shall be paid to the Contractor.
2. 1% of the bill will be deducted towards water and electricity charges from each running account bill.
3. 5% will be deducted from each running account towards security deposit and shall be returned after the completion period of Defect Liability Period.
4. Defect Liability Period will be six months and shall be counted from the completion of work.
5. Compensation for delay of work @1.5% per month of delay to be computed on per day basis and levied on the contractor on delay of work.
6. Labour laws are to be complied by the contractor. The contractor shall obtain a valid license under the Contract Labour (R&A) Act 1970 and the contract labour (Regulation and Abolition) Central Rules 1971 before the commencement of work and continue to have a valid license until the completion of work. The contractor shall also abide by the provisions of the Child Labour Act 1986.
7. Interested Contractors, Firms, Companies are advised to submit the quotation and EMD (if asked). No exemption shall be given to anybody by any way.
8. The contractors / firms are advised to inspect the site, examine the drawings and make all investigations regarding the extent of work, its scope and conditions under which the work is to be executed. No claim for any extra payments of any kind on account of lack of information about the site conditions shall be entertained.
9. The rates shall be quoted both in figures and words
10. The contractor / firm may be required to produce documents regarding partnership and / or Articles of Association of the Company along with the tender document.
11. Earnest money deposited (if asked) by the Contractor / firm shall be liable to be forfeited in case the Contractor / firm does not commence the work within 7 (seven) days of the date of issue of work order.
12. The offer shall remain open for a period of 60 days from the stipulated date of submission of quotation.
13. The Owner reserves the right to reject any or all of the quotations, either in whole or in part, without assigning any reason for so doing.
14. Earnest money deposited (if asked) by the contractors / firms shall be returned after 30 days of the date of award of work to the successful tenderer. This deposit shall not bear any interest.



Principal,
SHYAMA PRASAD MUKHERJI COLLEGE
UNIVERSITY OF DELHI, DELHI

Bills of Quantity

S. No.	Item	Qty.	Unit	Rates	Amount (Rs.)
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposd earth to be levelled and neatly dressed. 2.7.1 Ordinary rock	51	Cum		
2	Executive trenches of required width for pipes, cables, etc. including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, inlcuding getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed within a lead of 50m: 2.10.1.2 Pipes, cables, etc. exceeding 80 mm dia. but not exceeding 300 mm dia	5	Metre		
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 6.1.1 Cement mortar 1:4 (1 cement : 4 coarse sand) USE OLD BRICKS	11.5	Cum		
4	Centering and shuttering including strutting, propping etc. and removal of form for : 5.9.3 Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc.	27	Sqm		
5	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement: 5.2.2 1:1:5:3 (1 cement : 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size)	2.3	Cum		

6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering- All work up to plinth level: 4.1.8 1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	2	Cum		
7	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by reamming and watering, lead up to 50m and lift up to 1.5m.	10	Cum		
8	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. 5.22.6 Thermo-Mechanically Treated bars of grade Fe-500D.	100	Kg		
9	15 mm cement plaster on the rough side of single or half brick wall of mix : 13.2.1 1:4 (1 cement: 4 fine sand)	34	Sqm		
10	Providing Filter Media as per the Direction of DJB Ist layer of Geo Textile Membrane, 2nd layer of sand 0.2m thick' 3rd layer of Charcoal 0.1m,4th layer of Brick aggregate 0.5m (Area of tank surface 5.10m*2.5m).	1	Job		
11	Providing and fixing Man hole cover 2.5*2.5 ft	2	Nos		
12	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete: 18.13.2 50 to 80 mm nominal bore	1	Each		
Total					

(In Words) Rs. _____

Signature _____

Name and Address _____

of the Firm / Contractor _____

Company Seal _____